

SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

Issuing Date 04-Feb-2022 Revision Date 24-Feb-2022 Revision Number 1.1

1. Identification

Product identifier

Product Name Synthetic Polymeric Off-Road Grease

Other means of identification

Product Code(s) GPOR1

Synonyms None

Recommended use of the chemical and restrictions on use

Recommended use Lubricant

Grease

Restrictions on use Use only as directed

Details of the supplier of the safety data sheet

Initial supplier identifier Manufacturer Address

AMSOIL INC. AMSOIL INC.

Bay Adelaide Centre, East One AMSOIL Center Superior, WI 54880, USA

22 Adelaide St. W T: +1 715-392-7101

Toronto, ON, Canada M5H 4E3

T:+1 877-822-5172

E-mail compliance@amsoil.com

Emergency telephone number

Emergency telephone CHEMTREC: Within USA and Canada: 1-800-424-9300

Outside the USA and Canada: +1 703-741-5970

(collect calls accepted) 24/7

2. Hazard(s) identification

Classification

This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015)

Label elements

Hazard statements

Not classified.

Other information

May be harmful if swallowed. Toxic to aquatic life with long lasting effects. Toxic to aquatic life.

3. Composition/information on ingredients

<u>Substance</u>

Not applicable.

Mixture

Chemical name	CAS No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Calcium dodecylbenzenesulphonate	26264-06-2	>=1-<5	-	-
Calcium petroleum sulfonate	61789-86-4	>=1- <5	-	-
Benzenesulfonic acid, C10-16-alkyl derivatives, calcium salts	68584-23-6	>=1-<5	-	-

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

Chemical Additions

The classification as a carcinogen does not apply as it can be shown that the substance(s) contain(s) less than 3% DMSO extract as measured by IP 346.

4. First-aid measures

Description of first aid measures

General advice Get medical attention immediately if symptoms occur. Show this safety data sheet to the

doctor in attendance.

Inhalation Remove person to fresh air and keep comfortable for breathing.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and

persists.

Skin contact Wash skin with soap and water. Take off contaminated clothing. Get medical attention if

irritation develops and persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person.

Self-protection of the first aider Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause gastrointestinal discomfort if consumed in large amounts. Symptoms of

overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing. May cause temporary eye irritation. Repeated or prolonged skin contact may

cause skin irritation and/or dermatitis and sensitization in susceptible persons.

Indication of any immediate medical attention and special treatment needed

Revision Date: 24-Feb-2022

Note to physicians Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the

chemical

Containers can burst or explode when heated, due to excessive pressure build-up. Thermal

decomposition can lead to release of irritating gases and vapors.

Hazardous combustion products Carbon monoxide, Carbon dioxide (CO2), Metal oxides, Sulfur oxides, Nitrogen oxides

(NOx).

Explosion data

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Use personal protective equipment as required. See section 8 for more information. Ensure

adequate ventilation. Do not touch or walk through spilled material. Isolate the hazard area

and deny entry to unnecessary and unprotected personnel.

For emergency responders Use personal protection recommended in Section 8.

Methods and material for containment and cleaning up

Methods for containment Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Stop leak if you can do it without risk. Contain and collect spillage with non-combustible

> absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After cleaning, flush away traces with water. Dispose of

wastes in an approved waste disposal facility.

Reference to other sections For additional information see: Section 8: Exposure controls/personal protection;

Section 12: Ecological information; Section 13: Disposal considerations.

7. Handling and storage

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

used product. Take off contaminated clothing and wash before reuse. Do not eat, drink or

smoke when using this product. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Do not reuse empty

containers. Keep in properly labeled containers. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Protect from physical damage. Store

in accordance with local regulations.

8. Exposure controls/personal protection

•

Control parameters

Exposure Limits Under conditions which may generate mists, the following exposure limits are

recommended: Long-term exposure limit (8-hour TWA): 5 mg/m3. Short-term exposure limit

Revision Date: 24-Feb-2022

(15-minute): 10 mg/m3.

Biological occupational exposure

limits

Appropriate engineering controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Apply technical measures to

comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection If there is a risk of contact:. Wear safety glasses with side shields (or goggles).

Hand protection If there is a risk of contact: Wear suitable gloves: Neoprene gloves, Nitrile rubber. Ensure

that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for

information on breakthrough time for specific gloves.

Skin and body protection If there is a risk of contact:. Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

cannot be contained.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or

smoke when using this product. Wash hands before breaks and immediately after handling

the product.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Paste
Physical state Solid
Color Gray

Odor Hydrocarbon-like
Odor threshold No information available

Property Values Remarks • Method

pHNo data availableMelting point / freezing pointNo data availableInitial boiling point and boilingNo data available

range

Flash pointNo data availableEvaporation rateNo data availableFlammabilityNo data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressureNo data availableVapor densityNo data available

Relative density
Water solubility
Solubility(ies)
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity
No data available
ASTM D445

8.59 cSt at 100 °C

Dynamic viscosity

No data available

Other information

Explosive properties

Oxidizing properties

No information available.

No information available.

No information available no information available of information available.

No information available of information available.

No information available of information available of information available.

No information available of information available.

10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions
None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materialsNone known based on information supplied.

Hazardous decomposition products Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbon

monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

11. Toxicological information

Information on likely routes of exposure

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause temporary eye irritation. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in susceptible persons. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.

Acute toxicity

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 4,800.10 mg/kg ATEmix (inhalation-dust/mist) 27.20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium dodecylbenzenesulphonate	1086 - 1980 mg/kg (Rat)	-	-
Calcium petroleum sulfonate	> 20 g/kg (Rat)	> 5000 mg/kg (Rabbit)	> 1.9 mg/L (Rat)4 h
Benzenesulfonic acid, C10-16-alkyl derivatives, calcium salts	-	> 4000 mg/kg(Rabbit)	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity The supplier declares that it can be shown that the substance(s) contain less than 3%

DMSO extract as measured by IP 346.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Aspiration hazard Due to the viscosity, this product does not present an aspiration hazard.

12. Ecological information

Ecotoxicity Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Calcium	-	LC50: =10.8mg/L (96h,	-	-
dodecylbenzenesulphonate		Oncorhynchus mykiss)		
26264-06-2				
Calcium petroleum sulfonate	-	LC50: 5.7 - 9.7mg/L	-	EC50: 6.2 - 12mg/L
61789-86-4		(96h, Pimephales		(48h, Daphnia magna)
		promelas)		
		LC50: 1.0 - 10.0mg/L		
		(96h, Pimephales		
		promelas)		

Persistence and degradability No information available.

Bioaccumulation No information available.

Mobility in soil No information available.

Other adverse effects No information available.

13. Disposal considerations

Waste treatment methods

Revision Date: 24-Feb-2022

Waste from residues/unused

products

Dispose of in accordance with local regulations, Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

14. Transport information

DOT Not regulated Not regulated **TDG IATA** Not regulated **IMDG** Not regulated

15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

International Inventories

Contact supplier for inventory compliance status

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Calcium dodecylbenzenesulphona	1000 lb	-	-	Х
te 26264-06-2				

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous	Reportable Quantity (RQ)
		Substances RQs	

Calcium	1000 lb	-	RQ 1000 lb final RQ
dodecylbenzenesulphonate			RQ 454 kg final RQ
26264-06-2			_

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:. The classification listed below only applies to respirable quartz.

Chemical name	California Proposition 65	
Quartz - 14808-60-7	Carcinogen	
Naphthalene - 91-20-3	Carcinogen	

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Hydrogenated base oil 64742-70-7	-	X	-
Calcium dodecylbenzenesulphonate 26264-06-2	Х	Х	Х
Molybdenum disulphide 1317-33-5	-	X	-
Quartz 14808-60-7	Х	X	Х
Naphthalene 91-20-3	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 04-Feb-2022

Revision Date 24-Feb-2022

Revision Note Testing and Proposition 65.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet