

# SAFETY DATA SHEET

US OSHA Hazard Communication Standard (29 CFR 1910.1200) and Canada WHMIS 2015 which includes the amended Hazardous Products Act (HPA) and the Hazardous Products Regulation (HPR)

**Revision Number** 1 Issuing Date 02-May-2023 Revision Date 02-May-2023

## 1. Identification

Product identifier

**Product Name** Heavy-Duty Antifreeze & Coolant, Passenger Car & Light Truck Antifreeze & Coolant

Other means of identification

Product Code(s) ANTHD, ANTPC

UN/ID no UN3082

**Synonyms** None

Recommended use of the chemical and restrictions on use

Recommended use Antifreeze, Coolant

Restrictions on use Avoid formation of mists

Details of the supplier of the safety data sheet

**Supplier Address Manufacturer Address** 

AMSOIL INC. Bay Adelaide Centre, East Tower

22 Adelaide St. W

Toronto, ON, Canada M5H 4E3

T:+1 877-822-5172

AMSOIL INC. One AMSOIL Center Superior, WI 54880, USA

T: +1 715-392-7101

E-mail compliance@amsoil.com

Emergency telephone number

CHEMTREC: Within USA and Canada: 1-800-424-9300 **Emergency telephone** 

Outside the USA and Canada: +1 703-741-5970

(collect calls accepted) 24/7

## 2. Hazard(s) identification

## Classification

Acute toxicity - Oral	Category 4
Reproductive toxicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 1

#### Label elements

**Danger** 

#### **Hazard statements**

Harmful if swallowed.

May damage fertility or the unborn child.

Causes damage to organs through prolonged or repeated exposure: Kidney.



#### **Precautionary Statements - Prevention**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing, eye protection and face protection. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust, fume, gas, mist, vapors and spray.

## **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention.

#### Ingestion

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth.

#### **Precautionary Statements - Storage**

Store locked up.

#### **Precautionary Statements - Disposal**

Dispose of contents and container to an approved waste disposal plant.

#### Unknown acute toxicity

35 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

#### Other information

Harmful to aquatic life with long lasting effects.

## 3. Composition/information on ingredients

## Substance

Not applicable.

#### <u>Mixture</u>

Chemical name	CAS No	Weight-%
Ethane-1,2-diol	107-21-1	30-60
4-tert-butylbenzoic acid	98-73-7	1-5

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

## **Chemical Additions**

The classification as a carcinogen does not apply as it can be shown that the substance(s) contain(s) less than 3% DMSO extract as measured by IP 346.

## 4. First-aid measures

## **Description of first aid measures**

**General advice** Show this safety data sheet to the doctor in attendance.

**Inhalation** Remove person to fresh air and keep comfortable for breathing.

(M)SDS Number UL-ASL-439

**Eye contact** Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and

Revision Date: 02-May-2023

persists.

Skin contact Wash skin with soap and water. Take off contaminated clothing. Get medical attention if

irritation develops and persists.

**Ingestion** Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious

person. Call a physician.

**Self-protection of the first aider** Wear personal protective clothing (see section 8).

Most important symptoms and effects, both acute and delayed

Symptoms May cause temporary eye irritation. May cause gastrointestinal discomfort if consumed in

large amounts. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitization in susceptible persons. Symptoms of overexposure are dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.

**Effects of Exposure** No information available.

Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Use extinguishing

measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the

chemical

Containers can burst or explode when heated, due to excessive pressure build-up. Thermal

decomposition can lead to release of irritating gases and vapors.

**Hazardous combustion products** Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

**Explosion data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Evacuate

personnel to safe areas.

**Other information** Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth,

diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13). Clean contaminated surface thoroughly. After

Revision Date: 02-May-2023

cleaning, flush away traces with water.

**Reference to other sections** For additional information see: Section 8: Exposure controls/personal protection;

Section 12: Ecological information; Section 13: Disposal considerations.

# 7. Handling and storage

## Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not eat, drink or smoke when using this product. Remove

contaminated clothing and shoes. Ensure adequate ventilation.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Store locked up.

## 8. Exposure controls/personal protection

#### Control parameters

Exposure Limits Under conditions which may generate mists, the following exposure limits are

recommended: Short-term exposure limit (15-minute): 10 mg/m³. Long-term exposure limit

(8-hour TWA): 5 mg/m<sup>3</sup>.

Chemical name	ACGIH TLV		OSHA PEL			NIOSH
Ethane-1,2-diol	STEL: 50 ppm vapor fraction		(vacated) Ceiling: 50 ppm			-
107-21-1	STEL: 10 mg/m <sup>3</sup> inf			ling: 125 mg/m <sup>3</sup>		
	particulate matter, aero					
	TWA: 25 ppm vapor					
4-tert-butylbenzoic acid	TWA: 0.1 mg/m <sup>3</sup> inf			-		-
98-73-7	fraction and vap	or				
	S*					
Chemical name	Alberta	Britis	h Columbia	Ontario		Quebec
Ethane-1,2-diol	Ceiling: 100 mg/m <sup>3</sup>	TWA	\: 10 mg/m <sup>3</sup>	TWA: 25 pp	m	Ceiling: 50 ppm
107-21-1			_: 20 mg/m <sup>3</sup>	STEL: 50 pp		Ceiling: 127 mg/m <sup>3</sup>
			g: 100 mg/m <sup>3</sup>	STEL: 10 mg	J/m³	
		Ceili	ng: 50 ppm			
4-tert-butylbenzoic acid	-		-	-		-
98-73-7						

Chemical name	Manitoba	New Brunswick	Newfoundland and	Nova Scotia
			Labrador	
Ethane-1,2-diol	TWA: 25 ppm	Ceiling: 100 mg/m <sup>3</sup>	TWA: 25 ppm	TWA: 25 ppm
	STEL: 50 ppm		STEL: 50 ppm	STEL: 50 ppm
	STEL: 10 mg/m <sup>3</sup>		STEL: 10 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>
4-tert-butylbenzoic acid	TWA: 0.1 mg/m <sup>3</sup>		TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>
	Skin		Skin	Skin

Chemical name	Nunavut	Prince Edward Island	Saskatchewan	Yukon
Ethane-1,2-diol	Ceiling: 100 mg/m <sup>3</sup>	TWA: 25 ppm STEL: 50 ppm STEL: 10 mg/m <sup>3</sup>	Ceiling: 100 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 100 ppm TWA: 250 mg/m <sup>3</sup> STEL: 10 ppm STEL: 20 mg/m <sup>3</sup> STEL: 125 ppm STEL: 325 mg/m <sup>3</sup>
4-tert-butylbenzoic acid		TWA: 0.1 mg/m <sup>3</sup>		

Biological occupational exposure

limits

This product, as supplied, does not contain any hazardous materials with biological limits

Revision Date: 02-May-2023

established by the region specific regulatory bodies.

**Appropriate engineering controls** 

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

Individual protection measures, such as personal protective equipment

**Eye/face protection** If there is a risk of contact: Wear safety glasses with side shields (or goggles).

**Hand protection** If there is a risk of contact: Wear suitable gloves.

**Skin and body protection** If there is a risk of contact: Wear suitable protective clothing.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls Avoid release to the environment. Local authorities should be advised if significant spillages

cannot be contained.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and

immediately after handling the product.

# 9. Physical and chemical properties

## Information on basic physical and chemical properties

Appearance

Physical state Liquid
Color Red, Yellow
Odor Odorless

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pHNo data availableMelting point / freezing pointNo data availableInitial boiling point and boilingNo data available

range

Flash point 145.5 °C / 293.9 °F Cleveland Open Cup Evaporation rate No data available Flammability No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Revision Date: 02-May-2023 **Truck Antifreeze & Coolant** 

Lower flammability or explosive No data available

limits

No data available Vapor pressure Vapor density No data available Relative density 1.078 No data available Water solubility No data available Solubility(ies) No data available Partition coefficient No data available No data available **Autoignition temperature Decomposition temperature** No data available

Kinematic viscosity 2.48 cSt @ 40 °C ASTM D445

0.83 cSt @ 100 °C

Dynamic viscosity No data available

No information available

Other information

**Bulk density** 

**Explosive properties** No information available. **Oxidizing properties** No information available. Softening point No information available **Fire Point** 141-149 °C (COC) [ASTM D 92] Molecular weight No information available **VOC** content No information available **Liquid Density** No information available

## 10. Stability and reactivity

Reactivity None under normal use conditions.

Chemical stability Stable under normal conditions.

Possibility of hazardous reactions None under normal processing.

Conditions to avoid None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous decomposition products Thermal decomposition can lead to release of irritating gases and vapors. Carbon

monoxide, carbon dioxide and unburned hydrocarbons (smoke).

## 11. Toxicological information

## Information on likely routes of exposure

#### **Product Information**

Inhalation Specific test data for the substance or mixture is not available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available. Harmful if swallowed. (based

on components).

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** May cause temporary eye irritation. Repeated or prolonged skin contact may cause skin

irritation and/or dermatitis and sensitization in susceptible persons. May cause

gastrointestinal discomfort if consumed in large amounts. Symptoms of overexposure are

Revision Date: 02-May-2023

dizziness, headache, tiredness, nausea, unconsciousness and difficulty breathing.

## **Acute toxicity**

#### **Numerical measures of toxicity**

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral) 497.80 mg/kg ATEmix (dermal) 26,026.00 mg/kg ATEmix (inhalation-dust/mist) 3.4656 mg/l

Unknown acute toxicity

35 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethane-1,2-diol	= 4700 mg/kg (Rat)	= 10600 mg/kg (Rat)	> 2.5 mg/L (Rat)6 h
4-tert-butylbenzoic acid	= 473 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 1.802 mg/L (Rat)4 h

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.

No information available. Respiratory or skin sensitization

Germ cell mutagenicity No information available.

Carcinogenicity The supplier declares that it can be shown that the substance(s) contain less than 3%

DMSO extract as measured by IP 346.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethane-1,2-diol 107-21-1	Not listed	A4	Not listed	Not listed
4-tert-butylbenzoic acid 98-73-7	Not listed	Not designated	Not listed	Not listed

Reproductive toxicity Contains a known or suspected reproductive toxin. Classification based on data available

for ingredients. May damage fertility or the unborn child.

STOT - single exposure No information available.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure.

Target organ effects Kidney.

**Aspiration hazard** Due to the viscosity, this product does not present an aspiration hazard.

## 12. Ecological information

## **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethane-1,2-diol 107-21-1	EC50: 6500 - 13000mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =41000mg/L (96h, Oncorhynchus mykiss) LC50: 14 - 18mL/L (96h, Oncorhynchus mykiss) LC50: =27540mg/L (96h, Lepomis macrochirus) LC50: =40761mg/L (96h, Oncorhynchus mykiss) LC50: 40000 - 60000mg/L (96h, Pimephales promelas) LC50: =16000mg/L (96h, Poecilia reticulata)	-	EC50: =46300mg/L (48h, Daphnia magna)

Persistence and degradability

No information available.

#### Bioaccumulation

**Component Information** 

Chemical name	Partition coefficient
Ethane-1,2-diol 107-21-1	-1.36
4-tert-butylbenzoic acid 98-73-7	3.4

Other adverse effects

No information available.

## 13. Disposal considerations

## Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations, Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

# 14. Transport information

**Note:** Not classified as dangerous in the meaning of sea and air transport regulations.

DOT

Notes Not Regulated (Single Container < RQ)

UN/ID no UN3082

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Transport hazard class(es) 9
Packing group III

Reportable Quantity (RQ) (Ethane-1,2-diol: RQ (kg)= 2270.00) Ethane-1,2-diol: RQ (lb)= 5000.00

Reportable quantity kg Ethane-1,2-diol: RQ (kg)= 3783.33

(calculated)

Reportable quantity lbs. Ethane-1,2-diol: RQ (lb)= 8333.00

(calculated)

**Special Provisions** 8, 146, 173, 335, 441, IB3, T4, TP1, TP29

**DOT Marine Pollutant** NP

Description UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(Ethane-1,2-diol), 9, III

**Emergency Response Guide** 

Number

TDG Not regulated

<u>IATA</u> Not regulated

IMDG Not regulated

## 15. Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

## **International Regulations**

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

## International Inventories

Contact supplier for inventory compliance status

## **US Federal Regulations**

## **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Ethane-1,2-diol - 107-21-1	1.0

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

		Substances RQs	
Ethane-1,2-diol	5000 lb	-	RQ 5000 lb final RQ
107-21-1			RQ 2270 kg final RQ

## **US State Regulations**

#### **California Proposition 65**

This product contains the following Proposition 65 chemicals:.

Chemical name	California Proposition 65	
Ethane-1,2-diol - 107-21-1	Developmental	

## **U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethane-1,2-diol	X	X	X
107-21-1			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

## 16. Other information

## Key or legend to abbreviations and acronyms used in the safety data sheet

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \* Skin designation

## Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

EPA (Environmental Protection Agency)

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications

Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

World Health Organization

Issuing Date 02-May-2023

Revision Date 02-May-2023

Revision Note Initial Release.

(M)SDS Number UL-ASL-439

<u>Disclaimer</u>
The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**